

REFERENCES

- Almadori, G., Bussu, F., Cadoni, G., Galli, J., Rigante, M., Artuso, A., & Maurizi, M. (2004). Multistep laryngeal carcinogenesis helps our understanding of the field cancerisation phenomenon: A review. *European Journal of Cancer*, 40(16), 2383-2388.
- Amarasena, N., Ekanayaka, A. N. I., Herath, L., & Miyazaki, H. (2002). Tobacco use and oral hygiene as risk indicators for periodontitis. *Community Dentistry and Oral Epidemiology*, 30(2), 115-123.
- American Cancer Society. (2010). *Oral cavity and oropharyngeal cancer*. Atlanta, GA: American Cancer Society.
- Asghar, T., Yoshida, S., Kennedy, S., Negoro, K., Zhuo, W., Hamana, S., ... Maruo, T. (2004). The tumor necrosis factor- α promoter 21031C polymorphism is associated with decreased risk of endometriosis in a Japanese population. *Human Reproduction*, 19(11), 2509–2514.
- Assunta, M., & Idris, M. (2001). The alcohol problem in Malaysia. *The Globe*, 18-20.
- Azmy, I. A., Balasubramanian, S. P., Wilson, A. G., Stephenson, T. J., Cox, A., Brown, N. J., & Reed, M. W. (2004). Role of tumour necrosis factor gene polymorphisms (-308 and -238) in breast cancer susceptibility and severity. *Breast Cancer Research* 6(4), 395-400.
- Baan, R., Straif, K., Grosse, Y., Secretan, B., El Ghissassi, F., Bouvard, V., Altieri, A., & Coglianò, V. (2007). Carcinogenicity of alcoholic beverages. *The Lancet Oncology*, 8(4), 292-293.
- Balarajan, R., Bulusu, L., Adelstein, A., & Shukla, V. (1984). Patterns of mortality among migrants to England and Wales from the Indian subcontinent. *British Medical Journal*, 289(6453), 1185-1187.
- Baron, J. A., & Rohan, T. E. (1996). Tobacco. In D. Schottenfeld & J. J. Fraumeni (Eds.), *Cancer epidemiology and prevention* (Vol. 2, pp. 269–289). New York, NY: Oxford University Press.
- Bergström, J. (1989). Cigarette smoking as risk factor in chronic periodontal disease. *Community Dentistry and Oral Epidemiology*, 17(5), 245-247.
- Bhurgri, Y., Bhurgri, A., Hussainy, A. S., Usman, A., Faridi, N., Malik, J., ... Pervez, S. (2003). Cancer of the oral cavity and pharynx in Karachi: Identification of potential risk factors. *Asian Pacific Journal of Cancer Prevention*, 4(2), 125-130.
- Blot, W. J. (1992). Alcohol and cancer. *Cancer Research*, 52, 2119-2123.

- Blot, W. J., McLaughlin, J. K., Devesa, S. S., & Fraumeni, J. J. (1996). Cancer of the oral cavity and pharynx. In D. Schottenfeld & J. J. Fraumeni (Eds.), *Cancer epidemiology and prevention* (Vol. 2). New York: Oxford University Press.
- Blot, W. J., McLaughlin, J. K., Winn, D. M., Austin, D. F., Greenberg, R. S., Preston-Martin, S., ... Fraumeni, J. F. (1988). Smoking and drinking in relation to oral and pharyngeal cancer. *Cancer research*, 48(11), 3282-3287.
- Boffetta, P. (2003). The causes of cancer: Alcohol drinking. In B. W. Stewart & P. Kleihues (Eds.), *World cancer report* (pp. 29-32). Lyon, France: IARC press.
- Bosetti, C., Gallus, S., Peto, R., Negri, E., Talamini, R., Tavani, A., ... La Vecchia, C. (2008). Tobacco smoking, smoking cessation, and cumulative risk of upper aerodigestive tract cancers. *American Journal of Epidemiology*, 167(4), 468-473.
- Brand, E., Schorr, U., & Kunz, I. (2001). Tumor necrosis factor-alpha-308 G/A polymorphism in obese Caucasians. *International Journal of Obesity*, 25, 581-585.
- Bundgaard, T., Wildt, J., Frydenberg, M., Elbrond, O., & Nielsen, J. E. (1995). Case-control study of squamous cell cancer of the oral cavity in Denmark. *Cancer Causes and Control*, 6(1), 57-67.
- Burket, L. W., Greenberg, M. S., & Glick, M. (2003). *Burket's oral medicine: Diagnosis & treatment*. Pmhc Decker.
- Burzynski, N. J., Flynn, M. B., Faller, N. M., & Ragsdale, T. L. (1992). Squamous cell carcinoma of the upper aerodigestive tract in patients 40 years of age and younger. *Oral surgery, oral medicine, oral pathology*, 74(3), 404-408.
- Campbell, U. B., Gatto, N. M., & Schwartz, S. (2005). Distributional interaction: Interpretational problems when using incidence odds ratios to assess interaction. *Epidemiologic Perspectives & Innovations*, 2(1), 1-10.
- Cancer Incidence in Peninsular Malaysia, 2003-2005*. (2008). Kuala Lumpur, Malaysia: National Cancer Registry.
- Canto, M. T., & Devesa, S. S. (2002). Oral cavity and pharynx cancer incidence rates in the United States, 1975-1998. *Oral Oncology*, 38(6), 610-617.
- Caporaso, N. (1999). Selection of candidate genes for population studies. *IARC Scientific Publications*, 23-36.
- CARIF. (2010). *Cancer Research Initiatives Foundation progress report*. Kuala Lumpur: Author.
- Castellsagué, X., Quintana, M. J., Martínez, M. C., Nieto, A., Sanchez, M. J., Juan, A., ... Quer, M. (2004). The role of type of tobacco and type of alcoholic beverage in oral carcinogenesis. *International Journal of Cancer*, 108(5), 741-749.

- Cha, I. H., Park, J. Y., Chung, W. Y., Choi, M. A., Kim, H. J., & Park, K. K. (2007). Polymorphisms of CYP1A1 and GSTM1 genes and susceptibility to oral cancer. *Yonsei Medical Journal*, 48(2), 233-239.
- Chen, Y. J., Chang, J. T. C., Liao, C. T., Wang, H. M., Yen, T. C., Chiu, C. C., ... Cheng, A. J. (2008). Head and neck cancer in the betel quid chewing area: Recent advances in molecular carcinogenesis. *Cancer science*, 99(8), 1507-1514.
- Chiu, C.-J., Chiang, C.-P., Chang, M.-L., Chen, H.-M., Hahn, L.-J., Hsieh, L.-L., ... Chen, C.-J. (2001). Association between genetic polymorphism of Tumor Necrosis Factor- α and risk of oral submucous fibrosis, a pre-cancerous condition of oral cancer. *Journal of Dental Research*, 80(12), 2055-2059.
- Choi, S., & Myers, J. (2008). Molecular pathogenesis of oral squamous cell carcinoma: Implications for therapy. *Journal of Dental Research*, 87(1), 14-32.
- Cooper, D. N., Nussbaum, R. L., & Krawczak, M. (2002). Proposed guidelines for papers describing DNA polymorphism-disease associations. *Human Genetics*, 110(3), 207-208.
- Cusumano, R., & Persky, M. (1988). Squamous cell carcinoma of the oral cavity and oropharynx in young adults. *Head and Neck Surgery*, 10(4), 229-234.
- Danaei, G., Vander Hoorn, S., Lopez, A. D., Murray, C. J. L., & Ezzati, M. (2005). Causes of cancer in the world: Comparative risk assessment of nine behavioural and environmental risk factors. *The Lancet*, 366(9499), 1784-1793.
- Das, B., & Nagpal, J. (2002). Understanding the biology of oral cancer. *Medical Science Monitor*, 8(11), 258-267.
- Deng, X., Li, X., Liu, P., Yuan, S., Zang, J., Li, S., & Piao, X. (2008). Effect of chito-oligosaccharide supplementation on immunity in broiler chickens. *Asian-Australasian Journal of Animal Sciences*, 21(11), 1651-1658.
- Döbrössy, L. (2005). Epidemiology of head and neck cancer: Magnitude of the problem. *Cancer and Metastasis Reviews*, 24(1), 9-17.
- Duarte, I., Santos, A., Sousa, H., Catarino, R., Pinto, D., Matos, A., ... Machado, J. C. (2005). G-308A TNF-[α] polymorphism is associated with an increased risk of invasive cervical cancer. *Biochemical and Biophysical Research Communications*, 334(2), 588-592.
- Eggers, C. (1934). Cancer of the mouth. *Annals of Surgery*, 99(1), 69-80.
- Engels, E. A., Wu, X., Gu, J., Dong, Q., Liu, J., & Spitz, M. R. (2007). Systematic evaluation of genetic variants in the inflammation pathway and risk of lung cancer. *Cancer Research*, 67(13), 6520-6527.
- Enwonwu, C. O., & Meeks, V. I. (1995). Bionutrition and oral cancer in humans. *Crit Rev Oral Biol Med*, 6(1), 5-17.

- Fang, F., Yao, L., Yu, X. J., Yu, L., & Wu, Q. (2010). TNF - 308 G/A polymorphism is associated with breast cancer risk: A meta-analysis involving 10,184 cases and 12,911 controls. *Breast Cancer Research and Treatment*, 122(1), 267-271.
- Fedele, S. (2009). Diagnostic aids in the screening of oral cancer. *Head & Neck Oncology*, 1, 1-5.
- Franceschi, D. S. A., Mazini, P. S., Rudnick, C. C. C., Sell, A. M., Tsuneto, L. T., Ribas, ... Visentainer, J. E. L. (2009). Influence of TNF and IL10 gene polymorphisms in the immunopathogenesis of leprosy in the south of Brazil. *International Journal of Infectious Diseases*, 13(4), 493-498.
- Franco, E. L., Kowalski, L. P., Oliveira, B. V., Curado, M. P., Pereira, R. N., Silva, M. E., ... Torloni, H. (1989). Risk factors for oral cancer in Brazil: A case control study. *International Journal of Cancer*, 43(6), 992-1000.
- Fräter-Schröder, M., Risau, W., Hallmann, R., Gautschi, P., & Böhlen, P. (1987). Tumor necrosis factor type alpha, a potent inhibitor of endothelial cell growth in vitro, is angiogenic in vivo. *Proceedings of the National Academy of Sciences of the United States of America*, 84(15), 5277-5281.
- Gandini, S., Botteri, E., Iodice, S., Boniol, M., Lowenfels, A. B., Maisonneuve, P., & Boyle, P. (2008). Tobacco smoking and cancer: A meta analysis. *International Journal of Cancer*, 122(1), 155-164.
- Gaudet, M. M., Olshan, A. F., Poole, C., Weissler, M. C., Watson, M., & Bell, D. A. (2003). Diet, GSTM1, and GSTT1 and head and neck cancer. *Carcinogenesis*, 25, 735-740.
- Geisler, S. A., & Olshan, A. F. (2001). GSTM1, GSTT1, and the risk of squamous cell carcinoma of the head and neck: A mini-HuGE review. *American Journal of Epidemiology*, 154(2), 95-105.
- Ghani, W., Razak, I. A., Yang, Y. H., Talib, N. A., Ikeda, N., Axell, T., ... Zain, R. B. (2011). Factors affecting commencement and cessation of betel quid chewing behaviour in Malaysian adults. *BMC Public Health*, 11(1), 82-87.
- Goldin, R. (2007). Odds ratios. *STATS*, 1-2.
- Govan, V. A., Constant, D., Hoffman, M., & Williamson, A. L. (2006). The allelic distribution of-308 Tumor Necrosis Factor-alpha gene polymorphism in South African women with cervical cancer and control women. *BMC Cancer*, 6(1), 1-6.
- Gupta, P., & Ray, C. (2004). Epidemiology of betel quid usage. *Annals-Academy Of Medicine Singapore*, 33, 31-36.
- Gupta, R., Sharmaa, S. C., & Das, S. N. (2008). Association of TNF- α and TNFR1 promoters and 3' UTR region of TNFR2 gene polymorphisms with genetic susceptibility to tobacco-related oral carcinoma in Asian Indians. *Oral Oncology*, 44 (5), 455-463.

- Guptaa, R., Sharmaa, S. C., & Das, S. N. (2008). Association of TNF- α and TNFR1 promoters and 3' UTR region of TNFR2 gene polymorphisms with genetic susceptibility to tobacco-related oral carcinoma in Asian Indians. *Oral Oncology*, 44 (5), 455-463.
- Guzeldemir, E., Gunhan, M., Ozcelik, O., & Tastan, H. (2008). Interleukin-1 and tumor necrosis factor- α gene polymorphisms in Turkish patients with localized aggressive periodontitis. *Journal of Oral Science*, 50(2), 151-159.
- Haber, J., & Kent, R. (1992). Cigarette smoking in a periodontal practice. *Journal of Periodontology*, 63(2), 100-106.
- Hashibe, M., Brennan, P., Chuang, S., Boccia, S., Castellsague, X., Chen, C., ... Fabianova, E. (2009). Interaction between tobacco and alcohol use and the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. *Cancer Epidemiology Biomarkers & Prevention*, 18(2), 541-550.
- Hershkovich, O., Shafat, I., & Nagler, R. M. (2007). Age-related changes in salivary antioxidant profile: Possible implications for oral cancer. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 62(4), 361-366.
- Hirota, S. K., Braga, F. P. F., Penha, S. S., Sugaya, N. N., & Migliari, D. A. (2008). Risk factors for oral squamous cell carcinoma in young and older Brazilian patients: A comparative analysis. *Medicina Oral Patologia Oral Y Cirugia Bucal*, 13(4), 227-231.
- Ho, P. S., Ko, Y. C., Yang, Y. H. C., Shieh, T. Y., & Tsai, C. C. (2002). The incidence of oropharyngeal cancer in Taiwan: An endemic betel quid chewing area. *Journal of Oral Pathology & Medicine*, 31(4), 213-219.
- Hong, W. K., & Sporn, M. B. (1997). Recent advances in chemoprevention of cancer. *Science*, 278(5340), 1073-1077.
- Hung, H. C., Chuang, J., Chien, Y. C., Chern, H. D., Chiang, C. P., Kuo, Y. S., ... Chen, C. J. (1997). Genetic polymorphisms of CYP2E1, GSTM1, and GSTT1: Environmental factors and risk of oral cancer. *Cancer Epidemiology Biomarkers & Prevention*, 6, 901-905.
- International Agency for Research on Cancer. (2007). Alcoholic beverage consumption and ethyl carbamate (urethane). *IARC monographs on the evaluation of carcinogenic risks to humans* (Vol. 96, pp. 6-13). Lyon, France.
- Jacob, B. J., Straif, K., Thomas, G., Ramadas, K., Mathew, B., Zhang, Z. F., ... Hashibe, M. (2004). Betel quid without tobacco as a risk factor for oral precancers. *Oral Oncology*, 40(7), 697-704.

- Jayant, K., Balakrishnan, V., Sanghvi, L., & Jussawalla, D. (1977). Quantification of the role of smoking and chewing tobacco in oral, pharyngeal, and oesophageal cancers. *British Journal of Cancer*, 35(2), 232-235.
- Jayant, K. & Yeole, B. (1987). Cancers of the upper alimentary and respiratory tracts in Bombay, India: A study of incidence over two decades. *British Journal of Cancer*, 56(6), 847-852.
- Jemal, A., Bray, F., Center, M. M., Ferlay, J., Ward, E., & Forman, D. (2011). Global cancer statistics. *CA: A Cancer Journal for Clinicians*, caac. 20107v20101.
- Jeng, J., Chang, M., & Hahn, L. (2001). Role of areca nut in betel quid-associated chemical carcinogenesis: Current awareness and future perspectives. *Oral Oncology*, 37(6), 477-492.
- Johnson, N. (1991). Orofacial neoplasms: Global epidemiology, risk factors and recommendations for research. *International Dental Journal*, 41(6), 365-375.
- Johnson, N. (2001). Tobacco use and oral cancer: A global perspective. *Journal of Dental Education*, 65(4), 328-339.
- Johnson, N. (2003a). Aetiology and risk factors for oral cancer. In J. Shah, N. Johnson & J. Batsakis (Eds.), *Oral cancer* (pp. 33-75). New York, NY: Martin Dunitz.
- Johnson, N. (2003b). Global epidemiology. In J. Shah, N. Johnson & J. Batsakis (Eds.), *Oral cancer* (pp. 3-32). New York, NY: Martin Dunitz.
- Kaelan, C., Lamsis, F., Muratore, R., Flannery, G., Mitchell, R. J., & White, N. (2002). Alleles and haplotypes of tumor necrosis factor (TNF) alpha and beta genes in three ethnic populations of Sulawesi, Indonesia. *Human Biology*, 74(3), 381-396.
- Kakehi, Y., Hirao, Y., Kim, W.-J., Ozono, S., Masumori, N., Miyanaga, N., ... Yokomizo, A. (2010). Epidemiological risk factors of bladder cancer. *Jpn J Clin Oncol*, 40, 57-64.
- Khan, M. H., Mishu, M. P., & Imam, S. T. (2010). Current molecular concept of oral carcinogenesis and invasion. *Medicine Today*, 22(1), 38-42.
- Kietthubthaw, S., Sriplung, H., & Au, W. W. (2001). Genetic and environmental interactions on oral cancer in Southern Thailand. *Environmental and molecular mutagenesis*, 37(2), 111-116.
- Ko, Y., Huatig, Y., Lee, C., Chen, M., Litt, L., & Tsai, C. (1995). Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. *J Oral Pathol Med.*, 24, 450-453.
- Kortteinen, T. (2008). *Negotiating ethnic identities: Alcohol as a social marker in East and West Malaysia*. University of Helsinki, Helsinki-Finland.

- Kroeger, K. M., Carville, K. S., & Abraham, L. J. (1997). The-308 tumor necrosis factor-[alpha] promoter polymorphism effects transcription. *Molecular immunology*, 34(5), 391-399.
- Kumar, S. K. S., & Zain, R. B. (2004). Aetiology and risk factors for oral cancer: A brief overview. *Annals of Dentistry University of Malaya*, 11(1), 41-50.
- Kuper, H., Boffetta, P., & Adami, H. O. (2002). Tobacco use and cancer causation: Association by tumour type. *Journal of Internal Medicine*, 252(3), 206-224.
- La Vecchia, C., Lucchini, F., Negri, E., & Levi, F. (2004). Trends in oral cancer mortality in Europe. *Oral Oncology*, 40(4), 433-439.
- La Vecchia, C., Tavani, A., Franceschi, S., Levi, F., Corrao, G., & Negri, E. (1997). Epidemiology and prevention of oral cancer. *Oral Oncology*, 33(5), 302-312.
- Lachenmeier, D. W. (2008). Safety evaluation of topical applications of ethanol on the skin and inside the oral cavity. *Journal of Occupational Medicine and Toxicology*, 3(1), 26-41.
- Lim, G., & Halimah, Y. (2004). *Second report of the National Cancer Registry cancer incidence in Malaysia 2003*. Kuala Lumpur: Ministry of Health Malaysia.
- Lim, G. C. C. (2002). Overview of cancer in Malaysia. *Japanese Journal of Clinical Oncology*, 32, 37-42.
- Lingen, M. W., Kalmar, J. R., Karrison, T., & Speight, P. M. (2008). Critical evaluation of diagnostic aids for the detection of oral cancer. *Oral Oncology*, 44(1), 10-22.
- Lissowska, J., Pilarska, A., Pilarski, P., Samolczyk-Wanyura, D., Piekarczyk, J., Bardin-Mikollajczak, A., ... Franceschi, S. (2003). Smoking, alcohol, diet, dentition and sexual practices in the epidemiology of oral cancer in Poland. *European Journal of Cancer Prevention*, 12(1), 25-33.
- Liu, C.-J., Wong, Y.-K., Chang, K.-W., Chang, H.-C., Liu, H.-F., & Lee, Y.-J. (2005). Tumor necrosis factor- α promoter polymorphism is associated with susceptibility to oral squamous cell carcinoma. *Oral Pathol Med*, 34(10), 608-612.
- Llewellyn, C., Johnson, N., & Warnakulasuriya, K. (2001). Risk factors for squamous cell carcinoma of the oral cavity in young people: A comprehensive literature review. *Oral Oncology*, 37(5), 401-418.
- Llewellyn, C., Linklater, K., Bell, J., Johnson, N. W., & Warnakulasuriya, K. (2003). Squamous cell carcinoma of the oral cavity in patients aged 45 years and under: A descriptive analysis of 116 cases diagnosed in the South East of England from 1990 to 1997. *Oral Oncology*, 39(2), 106-114.
- Lu, C. T., Yen, Y. Y., Ho, C. S., Ko, Y. C., Tsai, C. C., Hsieh, C. C., & Lan, S. J. (1996). A case control study of oral cancer in Changhua County, Taiwan. *Journal of Oral Pathology & Medicine*, 25(5), 245-248.

- Lu, L.-P., Li, X.-W., Liu, Y., Sun, G.-C., Wang, X.-P., Zhu, X.-L., ... Li, H. (2004). Association of -238G/Apolymorphism of tumor necrosis factor- α gene promoter region with outcomes of hepatitis B virus infection in Chinese Han population. *World J Gastroenterol*, 10(12), 1810-1814.
- Marsh, H., Haldar, N., Bunce, M., Marshall, S., Le Monier, K., Winsey, S., ... Harris, A. (2003). Polymorphisms in tumour necrosis factor (TNF) are associated with risk of bladder cancer and grade of tumour at presentation. *British Journal of Cancer*, 89(6), 1096-1101.
- Mashberg, A., Garfinkel, L., & Harris, S. (1981). Alcohol as a primary risk factor in oral squamous carcinoma. *CA: A Cancer Journal for Clinicians*, 31(3), 146-155.
- Mathew, B., Sankaranarayanan, R., Sunilkumar, K., Kuruvila, B., Pisani, P., & Nair, M. K. (1997). Reproducibility and validity of oral visual inspection by trained health workers in the detection of oral precancer and cancer. *British Journal of Cancer*, 76(3), 390-394.
- Merrill, R. M. (2010). *Introduction to epidemiology* (5th ed.). Provo, UT: Jones & Bartlett Learning.
- Mestiri, S., Bouaouina, N., Ahmed, S. B., Khedhaier, A., Jrad, B. B., Remadi, S., & Chouchane, L. (2001). Genetic variation in the tumor necrosis factor promoter region and in the stress protein hsp70 2. *Cancer*, 91(4), 672-678.
- Mignogna, M., Fedele, S., & Russo, L. L. (2004). The World Cancer Report and the burden of oral cancer. *European Journal of Cancer Prevention*, 13(2), 139-142.
- Moore, S. R., Pierce, A. M., & Wilson, D. F. (2000). 'Oral cancer'—The terminology dilemma. *Oral Diseases*, 6(3), 191-193.
- Morise, A. P., Lauer, M. S., & Froelicher, V. F. (2002). Development and validation of a simple exercise test score for use in women with symptoms of suspected coronary artery disease. *American Heart Journal*, 144(5), 818-825.
- Morita, S., Yano, M., Tsujinaka, T., Akiyama, Y., Taniguchi, M., Kaneko, K., ... Kusuoka, H. (1999). Genetic polymorphisms of drug metabolizing enzymes and susceptibility to head and neck squamous cell carcinoma. *International Journal of Cancer*, 80(5), 685-688.
- Morse, D. E., Psoter, W. J., Cleveland, D., Cohen, D., Mohit-Tabatabai, M., Kosis, D. L., ... Eisenberg, E. (2007). Smoking and drinking in relation to oral cancer and oral epithelial dysplasia. *Cancer Causes and Control*, 18(9), 919-929.
- Muttalib, K. A., Wan Othman, W. M. N., Talib, N. A., & Ramli, R. (2002). A strategy for primary prevention and early detection of oral cancer and precancer: 1997 to 2000. *Malaysian Dental Journal*, 23, 80-88.

- Nakajima, K., Sasaki, M., Nojima, D., Oh, B. R., Ishii, N., Miura, K., & Dahiya, R. (2001). Tumor necrosis factor-[alpha] gene mutations and genotype changes in renal cell carcinoma. *The Journal of urology*, 165(2), 612-615.
- Nair, U., & Bartsch, H. (2001). Metabolic polymorphisms as susceptibility markers for lung and oral cavity cancer. *IARC Scientific Publications*, 154, 271-290.
- Nair, U., Bartsch, H., & Nair, J. (2004). Alert for an epidemic of oral cancer due to use of the betel quid substitutes gutkha and pan masala: A review of agents and causative mechanisms. *Mutagenesis*, 19(4), 251-262.
- Nasca, P. C. (2001). Biomarkers and epidemiology studies of cancer. In P. C. Nasca & H. Pastides (Eds.), (pp. 1-21). Aspen, MD: Fundament Cancer Epidemiol.
- Naylor, M., Stamp, G., Foulkes, W., Eccles, D., & Balkwill, F. R. (1993). Tumor necrosis factor and its receptors in human ovarian cancer. Potential role in disease progression. *Journal of Clinical Investigation*, 91(5), 2194-2206.
- Nemes, J. A. (2006). *Oral squamous cell carcinoma in North-Eastern Hungary: Etiological and prognostic factors*. University of Debrecen, Debrecen.
- Neville, B. W., & Day, T. A. (2002). Oral cancer and precancerous lesions. *CA: A Cancer Journal for Clinicians*, 52(4), 195-215.
- Ng, K., Siar, C., Ramanathan, K., Murugasu, P., & Chelvanayagam, P. (1985). Squamous cell carcinoma of the oral mucosa in Malaysia--any change? *The Southeast Asian Journal of Tropical Medicine and Public Health*, 16(4), 602-606.
- Ng, K. H., Siar, C. H., & Abdul, L. H. (1992). Leiomyoma of the incisive papilla region: A case report. *Annals of Dentistry*, 51(1), 29-31.
- Ni, K. Y., Shek-Yi, Y., Tin, L. L., & Hong, R. L. L. (2009). Genotyping candidate genes related to obesity in UCSI University student cohort. *Journal for the Advancement of Science & Arts*, 1(1), 29-42.
- Nonomura, N., Tokizane, T., Nakayama, M., Inoue, H., Nishimura, K., Muramatsu, M., & Okuyama, A. (2006). Possible correlation between polymorphism in the tumor necrosis factor beta gene and the clinicopathological features of bladder cancer in Japanese patients. *International Journal of Urology*, 13(7), 971-976.
- Ogden, G. R. (2005). Alcohol and oral cancer. *Alcohol*, 35(3), 169-173.
- Oh, B. R., Sasaki, M., Perinchery, G., Ryu, S. O. O. B., Park, Y. I., Carroll, P., & Dahiya, R. (2000). Frequent genotype changes at-308, and 488 regions of the tumor necrosis factor-[alpha](TNF-[alpha]) gene in patients with prostate cancer. *The Journal of Urology*, 163(5), 1584-1587.
- Oliveira, P. A., Colaço, A., Chaves, R., Guedes-Pinto, H., De-La-Cruz P, L. F., & Lopes, C. (2007). Chemical carcinogenesis. *Anais da Academia Brasileira de Ciências*, 79, 593-616.

- Park, J. Y., Schantz, S. P., Stern, J. C., Kaur, T., & Lazarus, P. (1999). Association between glutathione S-transferase [pi] genetic polymorphisms and oral cancer risk. *Pharmacogenetics and Genomics*, 9(4), 497-504.
- Parkin, D. M., Bray, F., Ferlay, J., & Pisani, P. (2005). Global cancer statistics, 2002. *CA Cancer J Clin*, 55, 74-108.
- Petersen, P. E., Bourgeois, D., Ogawa, H., Estupinan-Day, S., & Ndiaye, C. (2005). The global burden of oral diseases and risks to oral health. *Bulletin of the World Health Organization*, 83(9), 661-669.
- Raabe, T., Bukrinsky, M., & Currie, R. A. (1998). Relative contribution of transcription and translation to the induction of tumor necrosis factor-alpha by lipopolysaccharide. *Journal of Biological Chemistry*, 273(2), 974-980.
- Rahman, M., Sakamoto, J., & Fukui, T. (2003). Bidi smoking and oral cancer: A meta analysis. *International Journal of Cancer*, 106(4), 600-604.
- Rahman, M., Sakamoto, J., & Fukui, T. (2005). Calculation of population attributable risk for bidi smoking and oral cancer in south Asia. *Preventive Medicine*, 40(5), 510-514.
- Rai, R., Kulkarni, V., & Saranath, D. (2004). Genome wide instability scanning in chewing-tobacco associated oral cancer using inter simple sequence repeat PCR. *Oral Oncology*, 40(10), 1033-1039.
- Ramanathan, K., & Lakshimi, S. (1976). Oral carcinoma in Peninsular Malaysia: Racial variations in the Indians, Malays Chinese and Caucasians. *Gann Monograph on Cancer Research*, 18, 27-36.
- Raychaudhuri, S. P., & Raychaudhuri, S. K. (2009). Biologics: Target-specific treatment of systemic and cutaneous autoimmune diseases. *Indian Journal of Dermatology*, 54(2), 100-109.
- Reichart, P. A. (2001). Identification of risk groups for oral precancer and cancer and preventive measures. *Clinical Oral Investigations*, 5(4), 207-213.
- Rockenbauer, M., Olsen, J., Czeizel, A. E., Pedersen, L., & Sørensen, H. T. (2001). Recall bias in a case-control surveillance system on the use of medicine during pregnancy. *Epidemiology*, 12(4), 461-466.
- Rodriguez, T., Altieri, A., Chatenoud, L., Gallus, S., Bosetti, C., Negri, E., ... La Vecchia, C. (2004). Risk factors for oral and pharyngeal cancer in young adults. *Oral Oncology*, 40(2), 207-213.
- Rohlf, R. V., & Weir, B. S. (2008). Distributions of Hardy-Weinberg equilibrium test statistics. *Genetics*, 180(3), 1609-1616.

- Ruuls, S. R., & Sedgwick, J. D. (1999). Unlinking tumor necrosis factor biology from the major histocompatibility complex: Lessons from human genetics and animal models. *American Journal of Human Genetics*, 65(2), 294-301.
- Sankaranarayanan, R., Duffy, S. W., Day, N. E., Nair, M. K., & Padmakumary, G. (1989). A case control investigation of cancer of the oral tongue and the floor of the mouth in Southern India. *International Journal of Cancer*, 44(4), 617-621.
- Sato, M., Sato, T., Izumo, T., & Amagasa, T. (1999). Genetic polymorphism of drug-metabolizing enzymes and susceptibility to oral cancer. *Carcinogenesis*, 20(10), 1927-1931.
- Saub, R. (2001). The betel quid chewing habit: Why it should be stopped and what can be done to stop this habit? *Annals of Dentistry*, 8(1), 62-66.
- Schildt, E., Eriksson, M., Hardell, L., & Magnuson, A. (1998). Oral infections and dental factors in relation to oral cancer: A Swedish case-control study. *European Journal of Cancer Prevention*, 7(3), 201-206.
- Schwartz, J. L. (2000). Biomarkers and molecular epidemiology and chemoprevention of oral carcinogenesis. *Critical Reviews in Oral Biology & Medicine*, 11(1), 92-122.
- Scully, C. (1992). Oncogenes, onco-suppressors, carcinogenesis and oral cancer. *British Dental Journal*, 173(2), 53-59.
- Scully, C. (2005). Oral cancer: The evidence for sexual transmission. *British Dental Journal*, 199(4), 203-207.
- Scully, C., & Bedi, R. (2000). Ethnicity and oral cancer. *The Lancet Oncology*, 1(1), 37-42.
- Scully, C., Field, J., & Tanzawa, H. (2000). Genetic aberrations in oral or head and neck squamous cell carcinoma (SCCHN): 1. Carcinogen metabolism, DNA repair and cell cycle control. *Oral Oncology*, 36(3), 256-263.
- See, D., Mason, S., & Roshan, R. (2002). Increased tumor necrosis factor alpha (TNF-) and natural killer cell (NK) function using an integrative approach in late stage cancers. *Immunological investigations*, 31(2), 137-153.
- Seitz, H. K., Stickel, F., & Homann, N. (2004). Pathogenetic mechanisms of upper aerodigestive tract cancer in alcoholics. *International Journal of Cancer*, 108(4), 483-487.
- Serefoglou, Z., Yapijakis, C., Nkenke, E., & Vairaktaris, E. (2008). Genetic association of cytokine DNA polymorphisms with head and neck cancer. *Oral Oncology*, 44(12), 1093-1099.
- Sham, A., Cheung, L., Jin, L., & Corbet, E. (2003). The effects of tobacco use on oral health. *Hong Kong Med J*, 9(4), 271-277.

- Sheikh, S. N., & Lazarus, P. (1997). Re-usable DNA template for the polymerase chain reaction (PCR). *Nucleic Acids Research*, 25(17), 3537–3542.
- Shetty, R. (2003). Oral cancer and basic science research: A clinician's observation. *Journal of Oral and Maxillofacial Pathology*, 7(2), 34-36.
- Shih, C. M., Lee, Y. L., Chiou, H. L., Chen, W., Chang, G. C., Chou, M. C., ... Lin, L. Y. (2006). Association of TNF-[alpha] polymorphism with susceptibility to and severity of non-small cell lung cancer. *Lung Cancer*, 52(1), 15-20.
- Sinha, R., & Caporaso, N. (1999). Symposium: Interactions of diet and nutrition with genetic susceptibility in cancer. *J Nutr*, 129, 556S-559S.
- Slattery, M. L., & Fitzpatrick, F. A. (2009). Convergence of hormones, inflammation, and energy-related factors: A novel pathway of cancer etiology. *Cancer Prev Res*, 2(11), 922-930.
- Sreelekha, T., Ramadas, K., Pandey, M., Thomas, G., Nalinakumari, K., & Pillai, M. (2001). Genetic polymorphism of CYP1A1, GSTM1 and GSTT1 genes in Indian oral cancer. *Oral Oncology*, 37(7), 593-598.
- Stewart, B. W., & Kleihues, P. (2003). Head and neck cancer in the world cancer report. In B. W. Stewart & P. Kleihues (Eds.), *World cancer report* (pp. 232-235). Lyon, France: IARC press.
- Su, T. R., Chang, K. L., Lee, C. H., Chen, C. H., Yang, Y. H., & Shieh, T. Y. (2004). Expression of tumor necrosis factor-alpha and its soluble receptors in betel-quid-chewing patients at different stages of treatment for oral squamous cell carcinoma. *Oral Oncology*, 40(8), 804-810.
- Suba, Z., Mihályi, S., Takács, D., & Gyulai-Gaál, S. (2009). Oral cancer: Morbus Hungaricus in the 21st century. *Fogorvosi szemle*, 102(2), 63-68.
- Talamini, R., Vaccarella, S., Barbone, F., Tavani, A., La Vecchia, C., Herrero, R., ... Franceschi, S. (2000). Oral hygiene, dentition, sexual habits and risk of oral cancer. *British Journal of Cancer*, 83(9), 1238-1242.
- Trujillo-Murillo, K., Bosques-Padilla, F. J., Calderón-Lozano, I., Navar-Vizcarra, S., Garza-González, E., Niderhauser-García, A., ... Martínez-Rodríguez, H. G. (2011). Association of Tumor Necrosis Factor α and Manganese Superoxide Dismutase polymorphisms in patients with non-alcoholic steatohepatitis from Northeast Mexico. *The Open Hepatology Journal*, 3, 1-6.
- Tsantoulis, P., Kastrinakis, N., Tourvas, A., Laskaris, G., & Gorgoulis, V. (2007). Advances in the biology of oral cancer. *Oral Oncology*, 43(6), 523-534.

- Van Den Berk, L. C. J., Jansen, B. J. H., Siebers-Vermeulen, K. G. C., Roelofs, H., Figdor, C. G., Adema, G. J., & Torensma, R. (2010). Mesenchymal stem cells respond to TNF but do not produce TNF. *Journal of leukocyte biology*, 87(2), 283-289.
- Van Dyke, A. L., Cote, M. L., Wenzlaff, A. S., Chen, W., Abrams, J., Land, S., ... Schwartz, A. G. (2009). Cytokine and cytokine receptor single-nucleotide polymorphisms predict risk for non-small cell lung cancer among women. *Cancer Epidemiology Biomarkers & Prevention*, 18(6), 1829-1840.
- Van Lerberghe, W., & ebrary, I. (2008). *The world health report 2008: Primary health care - now more than ever*. World Health Organization.
- Wald, N. J., & Hackshaw, A. K. (1996). Cigarette smoking: An epidemiological overview. *British Medical Bulletin*, 52(1), 3-11.
- Walker, D. M., Boey, G., & McDonald, L. (2003). The pathology of oral cancer. *Pathology*, 35(5), 376-383.
- Walsh, P. M., & Epstein, J. B. (2000). The oral effects of smokeless tobacco. *Journal-Canadian Dental Association*, 66(1), 22-25.
- Warnakulasuriya, K., & Johnson, N. (1996). Epidemiology and risk factors for oral cancer: Rising trends in Europe and possible effects of migration. *International Dental Journal*, 46(3), 245-250.
- Warnakulasuriya, S., Dietrich, T., Bornstein, M. M., Peidró, E. C., Preshaw, P. M., Walter, C., ... Bergström, J. (2010). Oral health risks of tobacco use and effects of cessation. *Int Dent J*, 60(1), 7-30.
- Warnakulasuriya, S., Parkkila, S., Nagao, T., Preedy, V. R., Pasanen, M., Koivisto, H., & Niemelä, O. (2008). Demonstration of ethanol induced protein adducts in oral leukoplakia (pre cancer) and cancer. *Journal of Oral Pathology & Medicine*, 37(3), 157-165.
- Warnakulasuriya, S., Sutherland, G., & Scully, C. (2005). Tobacco, oral cancer, and treatment of dependence. *Oral Oncology*, 41(3), 244-260.
- Wei, G., Na, W., Yan, L., & Jian-hui, Z. (2005). Polymorphisms in tumor necrosis factor genes and susceptibility to esophageal squamous cell carcinoma and gastric cardiac adenocarcinoma in a population of high incidence region of North China. *Chinese Medical Journal*, 118(22), 1870-1878.
- Weight, T. B., Adkins, R., Campese, C., Vaidya, R., Krushkal, J., & Boyd, T. (2003). Twelfth annual meeting of the international genetic epidemiology society. *Genetic Epidemiology*, 25, 236-279.

- Weinstein, S. J., Gridley, G., Harty, L. C., Diehl, S. R., Brown, L. M., Winn, D. M., ... Hayes, R. B. (2002). Folate intake, serum homocysteine and methylenetetrahydrofolate reductase (MTHFR) C677T genotype are not associated with oral cancer risk in Puerto Rico. *The Journal of Nutrition*, 132(4), 762-767.
- Wen-Jiun, L., Rong-San, J., Shang-Heng, W., Fun-Jou, C., & Shih-An, L. (2011). Smoking, alcohol, and betel quid and oral cancer: A prospective cohort study. *Journal of Oncology*, 2011, 1-5.
- WHO. (2004). *Global Status Report on Alcohol 2004*. Geneva, Switzerland: Author.
- World Cancer Research Fund and American Institute for Cancer Research. (2007). *Food, nutrition, physical activity, and the prevention of cancer: A global perspective*. Washington DC: Author.
- Xia, B., Crusius, J., Meuwissen, S., & Pena, A. (1998). Inflammatory bowel disease: Definition, epidemiology, etiologic aspects, and immunogenetic studies. *World J Gastroenterol*, 4(5), 446-458.
- Yapjakis, C., Serefoglou, Z., Vylliotis, A., Nkenke, E., Derka, S., Vassiliou, S., ... Vairaktaris, E. (2009). Association of polymorphisms in Tumor Necrosis Factor Alpha and Beta genes with increased risk for oral cancer. *Anticancer Research*, 29(6), 2379-2386.
- Zain, R. (2001). Cultural and dietary risk factors of oral cancer and precancer: A brief overview. *Oral Oncology*, 37(3), 205-210.
- Zain, R. B. (1999). *Nutritional and habitual factors for oral cancer and precancer among selected Malaysians*. Kuala Lumpur: Faculty of Dentistry, University of Malaya.
- Zain, R. B. & Ghazali, N. (2001). A review of epidemiological studies of oral cancer and precancer in Malaysia. *Annals of Dentistry, University of Malaya*, 8, 50-56.
- Zain, R. B., Ikeda, N., Razak, I. A., Axéll, T., Majid, Z. A., Gupta, P. C., & Yaacob, M. (1997). A national epidemiological survey of oral mucosal lesions in Malaysia. *Community Dentistry and Oral Epidemiology*, 25(5), 377-383.
- Zakhari, S. (2006). Overview: How is alcohol metabolized by the body? *Alcohol Research & Health*, 29(4), 245-254.
- Zakrzewska, J. M. (1999). Fortnightly review: Oral cancer. *BMJ: British Medical Journal*, 318, 1051-1054.
- Znaor, A., Brennan, P., Gajalakshmi, V., Mathew, A., Shanta, V., Varghese, C., & Boffetta, P. (2003). Independent and combined effects of tobacco smoking, chewing and alcohol drinking on the risk of oral, pharyngeal and esophageal cancers in Indian men. *International Journal of Cancer*, 105(5), 681-686.

- Zou, G. Y., & Donner, A. (2006). The merits of testing Hardy Weinberg Equilibrium in the analysis of unmatched case control data: A cautionary note. *Annals of human genetics*, 70(6), 923-933.
- Zygogianni, A. G., Kyrgias, G., Karakitsos, P., Psyrris, A., Kouvaris, J., Kelekis, N., & Kouloulas, V. (2011). Oral squamous cell cancer: Early detection and the role of alcohol and smoking. *Head & Neck Oncology*, 3, 2-13.